

	Type	Hits	Search Text	DBs
1	BRS	0	rehman-najeh-\$ in.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
2	BRS	0	rahman-najeh-\$ in.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
3	BRS	6	rahman-najeh.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
4	BRS	59900	light near5 set	USPAT; US-PGPUB; EPO; JPO; DERWENT;
5	BRS	0	((light near5 set) and ((standard near4 bulb near4 socket) and (non near4 standard near4 bulb near4 socket) )	USPAT; US-PGPUB; EPO; JPO; DERWENT;
6	BRS	38	twinkl\$5 and (light near5 set)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
7	IS&R	14	((("1922022") or ("1974472") or ("3862434") or ("3864580") or ("3873880") or ("3944878") or ("4682079") or ("5247753") or ("5277948") or ("5279871") or ("5280682") or ("5485068") or	USPAT
8	IS&R	128	(315/185R).CCLS.	USPAT; EPO; JPO; DERWENT
9	IS&R	102	(315/185s).CCLS.	USPAT; EPO; JPO; DERWENT
10	IS&R	1006	(362/806).CCLS.	USPAT; EPO; JPO; DERWENT
11	IS&R	1006	(362/806).CCLS.	USPAT; EPO; JPO; DERWENT
12	BRS	263	((light near4 (SET OR STRING)) AND 362/806.CCLS.	USPAT; EPO; JPO; DERWENT;
13	BRS	123	twinkl\$6 near4 (bulb or string or light or set)	USPAT; EPO; JPO; DERWENT;
14	BRS	28	(twinkl\$6 near4 (bulb or string or light or set)) and 362/\$.ccls.	USPAT; EPO; JPO; DERWENT;
15	BRS	423	362/252.ccls.	USPAT; EPO; JPO; DERWENT;
16	BRS	703	362/249.ccls.not 362/252.ccls.	USPAT; EPO; JPO; DERWENT;
17	BRS	703	362/249.ccls.not 362/252.ccls.	USPAT; EPO; JPO; DERWENT;
18	BRS	100	362/249.ccls.and ((light near4 (SET OR STRING)) AND 362/806.CCLS.)	USPAT; EPO; JPO; DERWENT;
19	BRS	2	362/234.ccls.and ((light near4 (SET OR STRING)) AND 362/806.CCLS.)	USPAT; EPO; JPO; DERWENT;
20	BRS	322	362/234.ccls.	USPAT; EPO; JPO; DERWENT;
21	BRS	2	twinkle adj bulb	USPAT; EPO; JPO; DERWENT;
22	BRS	9	twinkle with bulb	USPAT; EPO; JPO; DERWENT;
23	BRS	1	twinkle adj light adj bulb	USPAT; EPO; JPO; DERWENT;
24	BRS	5	twinkle with (light adj bulb)	USPAT; EPO; JPO; DERWENT;
25	BRS	225	362/251.ccls.	USPAT
26	BRS	5	(standard near4 bulb near4 socket) and (non near4 standard near4 bulb near4 socket)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
27	BRS	115481	((by near4 pass)or short\$4) adj circuit	USPAT; EPO; JPO; DERWENT;
28	BRS	463	((by near4 pass)or short\$4) adj circuit) same bulb	USPAT; EPO; JPO; DERWENT;
29	BRS	238	((by near4 pass)or short\$4) adj circuit) with bulb	USPAT; EPO; JPO; DERWENT;
30	IS&R	6	((("6091204") or ("6323597") or ("5828183") or ("4980608") or ("3728067")	USPAT
31	IS&R	7	((("3443875") or ("3458270") or ("3532931") or ("3544251") or ("3918884") or ("4017728") or ("4478571"))).PN.	USPAT
32	IS&R	1	("4980608").PN.	USPAT
33	BRS	1	flash\$6 adj control adj bulb and socket	USPAT
34	BRS	2	flash\$6 adj control adj bulb	USPAT
35	BRS	0	flash\$6 adj control adj socket	USPAT
36	BRS	167	flash\$6 adj socket	USPAT
37	BRS	3183	bulb adj socket	USPAT; EPO; JPO; DERWENT;
38	BRS	317	(bulb adj socket) and flash\$6	USPAT; EPO; JPO; DERWENT;
39	BRS	18	((bulb adj socket) and flash\$6) and string	USPAT; EPO; JPO; DERWENT;
40	BRS	37	flash\$4 with(bulb adj socket)	USPAT; EPO; JPO; DERWENT;
41	BRS	1	(bulb adj socket) and (flashing adj control)	USPAT; EPO; JPO; DERWENT;

	Type	Hits	Search Text	DBs
42	BRS	0	(bulb adj socket) and standard and (non near5 sandard)	USPAT; EPO; JPO; DERWENT;
43	BRS	0	(bulb adj socket) and (non near5 sandard)	USPAT; EPO; JPO; DERWENT;
44	BRS	5	(bulb adj socket) and twinkl\$5	USPAT; EPO; JPO; DERWENT;
45	IS&R	295	(313/318.05).CCLS.	USPAT
46	IS&R	171	(313/318.09).CCLS.	USPAT
47	IS&R	261	(313/318.12).CCLS.	USPAT
48	BRS	7	((bulb adj socket) and flash\$6) and 313/\$.ccls.	USPAT; EPO; JPO; DERWENT;
49	BRS	21	((bulb adj socket) and flash\$6) and 439/\$.ccls.	USPAT; EPO; JPO; DERWENT;
50	BRS	0	flashing adj bulb adj socket	USPAT; EPO; JPO; DERWENT;
51	BRS	7	flashing adj bulb with socket	USPAT; EPO; JPO; DERWENT;
52	BRS	827	light adj string	USPAT; EPO; JPO; DERWENT;
53	BRS	0	(flashing adj bulb with socket) and (light adj string)	USPAT; EPO; JPO; DERWENT;
54	BRS	125	flashing adj bulb	USPAT; EPO; JPO; DERWENT;
55	BRS	0	((flashing adj bulb with socket) and (light adj string)) and (light adj string)	USPAT; EPO; JPO; DERWENT;
56	BRS	333	flashing adj control	USPAT; EPO; JPO; DERWENT;
57	BRS	3	(flashing adj bulb ) and (light adj string)	USPAT; EPO; JPO; DERWENT;
58	BRS	18	(flashing adj control ) and socket	USPAT; EPO; JPO; DERWENT;
59	IS&R	4	((("3728067") or ("5967823") or ("5969469") or ("5828183")).PN.	USPAT
60	BRS	10	twinkl\$5 near5 light near5 set	USPAT; US-PGPUB; EPO; JPO; DERWENT;
61	BRS	18	twinkl\$5 near5 bulb	USPAT; US-PGPUB; EPO; JPO; DERWENT;
62	BRS	2397	flash\$4 near5 bulb	USPAT; US-PGPUB; EPO; JPO; DERWENT;
63	BRS	4	(twinkl\$5 near5 bulb) and (flash\$4 near5 bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
64	BRS	0	(twinkl\$5 near5 bulb) and "non-standard"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
65	BRS	0	(twinkl\$5 near5 bulb) and (flash\$4 near5 bulb) and ((standard and "non-standard") with (bulb or socket))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
66	BRS	0	(twinkl\$5 near5 bulb) and ((standard and "non-standard") with (bulb or socket))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
67	BRS	0	(flash\$4 near5 bulb) and ((standard and "non-standard") with (bulb or socket))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
68	BRS	71	(standard and "non-standard") with (bulb or socket)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
69	BRS	5	("non-standard" near5 bulb) and (standard near5 bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
70	BRS	0	("non-standard" adj bulb) and ("non-standard" adj bulb adj socket)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
71	BRS	23	"non-standard" and standard and bulb and socket	USPAT; US-PGPUB; EPO; JPO; DERWENT;
72	BRS	545	flash\$5 with individual\$4 with (bulb or lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
73	BRS	9	(individual\$4 adj flash\$5 adj (bulb or lamp)) and (light near5 (set or string))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
74	BRS	58	(flash\$5 with individual\$4 with (bulb or lamp)) and (light near5 (set or string))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
75	IS&R	6	((("2096017") or ("2646489") or ("3944878") or ("3946244") or ("4888494")	USPAT
76	IS&R	3	((("3864580") or ("4888494") or ("5128595")	USPAT
77	BRS	0	(flash\$5 with individual\$4 with (bulb or lamp)) and (non adj standard)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
78	BRS	0	(flash\$5 with individual\$4 with (bulb or lamp)) with (non near5 standard)	USPAT; US-PGPUB; EPO; JPO; DERWENT;

	Type	Hits	Search Text	DBs
79	BRS	2	(flash\$5 with individual\$4 with (bulb or lamp)) and (non near5 standard)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
80	BRS	92	individual\$4 adj flash\$5 adj (bulb or lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
81	BRS	53698	(light near4 (SET OR STRING))	USPAT; EPO; JPO; DERWENT;
82	BRS	3250	(standard or conventional) adj ( lamp or bulb)	USPAT; EPO; JPO; DERWENT;
83	BRS	9	(non adj standard) adj (bulb or lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
84	BRS	9	(( standard or conventional) adj ( lamp or bulb)) and ( (non adj standard) adj (bulb or lamp))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
85	BRS	1	(( (standard or conventional) adj ( lamp or bulb)) and ( (non adj standard) adj (bulb or lamp))) and ((light near4 (SET OR	USPAT; US-PGPUB; EPO; JPO; DERWENT;
86	BRS	0	(( (standard or conventional) adj ( lamp or bulb)) and ( (non adj standard) adj (bulb or lamp))) and string	USPAT; US-PGPUB; EPO; JPO; DERWENT;
87	BRS	11	(flash\$5 with individual\$4 with (bulb or lamp)) and ( (standard or conventional) adj ( lamp or bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
88	BRS	26	315/185r and @pd > "20011201"	USPAT; EPO; JPO; DERWENT;
89	BRS	35	362/234 and @pd > "20011201"	USPAT; EPO; JPO; DERWENT;
90	BRS	125	362/249 and @pd > "20011201"	USPAT; EPO; JPO; DERWENT;
91	BRS	69	362/252 and @pd > "20011201"	USPAT; EPO; JPO; DERWENT;
92	BRS	154	362/806 and @pd > "20011201"	USPAT; EPO; JPO; DERWENT;
93	BRS	9	313/318.12 and @pd > "20011201"	USPAT; EPO; JPO; DERWENT;
94	BRS	12	313/318.09 and @pd > "20011201"	USPAT; EPO; JPO; DERWENT;
95	BRS	8	313/318.05 and @pd > "20011201"	USPAT; EPO; JPO; DERWENT;
96	BRS	27	315/185s and @pd > "20011201"	USPAT; EPO; JPO; DERWENT;

	Type	Hits	Search Text	DBs
1	BRS	0	rehman-najeh-\$.in.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB
2	BRS	0	rahman-najeh-\$.in.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB
3	BRS	6	rahman-najeh.in.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB
4	BRS	59900	light near5 set	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB
5	BRS	0	(light near5 set) and ((standard near4 bulb near4 socket) and (non near4 standard near4 bulb near4 socket) )	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB
6	BRS	38	twink\$5 and (light near5 set)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB
7	IS&R	14	(("1922022") or ("1974472") or ("3862434") or ("3864580") or ("3873880") or ("3944878") or ("4682079") or ("5247753") or ("5277948") or ("5279871") or ("5280682") or ("5485068") or ("5568970") or ("5618103")).PN.	USPAT
8	IS&R	128	("315/185R").CCLS.	USPAT; EPO; JPO; DERWEN T
9	IS&R	102	("315/185s").CCLS.	USPAT; EPO; JPO; DERWEN T

	Type	Hits	Search Text	DBs
10	IS&R	1006	("362/806").CCLS.	USPAT; EPO; JPO; DERWEN T
11	IS&R	1006	("362/806").CCLS.	USPAT; EPO; JPO; DERWEN T
12	BRS	263	(light near4 (SET OR STRING)) AND 362/806.CCLS.	USPAT; EPO; JPO; DERWEN T; IBM TDB
13	BRS	123	twinkl\$6 near4 (bulb or string or light or set)	USPAT; EPO; JPO; DERWEN T; IBM TDB
14	BRS	28	(twinkl\$6 near4 (bulb or string or light or set)) and 362/\$.ccls.	USPAT; EPO; JPO; DERWEN T; IBM TDB
15	BRS	423	362/252.ccls.	USPAT; EPO; JPO; DERWEN T; IBM TDB
16	BRS	703	362/249.ccls.not 362/252.ccls.	USPAT; EPO; JPO; DERWEN T; IBM TDB
17	BRS	703	362/249.ccls.not 362/252.ccls.	USPAT; EPO; JPO; DERWEN T; IBM TDB
18	BRS	100	362/249.ccls.and ((light near4 (SET OR STRING)) AND 362/806.CCLS.)	USPAT; EPO; JPO; DERWEN T; IBM TDB
19	BRS	2	362/234.ccls.and ((light near4 (SET OR STRING)) AND 362/806.CCLS.)	USPAT; EPO; JPO; DERWEN T; IBM TDB
20	BRS	322	362/234.ccls.	USPAT; EPO; JPO; DERWEN T; IBM TDB

	Type	Hits	Search Text	DBs
21	BRS	2	twinkle adj bulb	USPAT; EPO; JPO; DERWEN T; IBM TDB
22	BRS	9	twinkle with bulb	USPAT; EPO; JPO; DERWEN T; IBM TDB
23	BRS	1	twinkle adj light adj bulb	USPAT; EPO; JPO; DERWEN T; IBM TDB
24	BRS	5	twinkle with (light adj bulb)	USPAT; EPO; JPO; DERWEN T; IBM TDB
25	BRS	225	362/251.ccls.	USPAT
26	BRS	5	(standard near4 bulb near4 socket) and (non near4 standard near4 bulb near4 socket)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM TDB
27	BRS	115481	((by near4 pass)or short\$4) adj circuit	USPAT; EPO; JPO; DERWEN T; IBM TDB
28	BRS	463	((by near4 pass)or short\$4) adj circuit) same bulb	USPAT; EPO; JPO; DERWEN T; IBM TDB
29	BRS	238	((by near4 pass)or short\$4) adj circuit) with bulb	USPAT; EPO; JPO; DERWEN T; IBM TDB
30	IS&R	6	((("6091204") or ("6323597") or ("5828183") or ("4980608") or ("3728067") or ("3975659")).PN.	USPAT